

# Prices valid May 1st - June 30th, 2022



Super Coolant HPC100C - 473ml



Fuel System Cleaner HPF200C - 443ml



Oil Supplement HPL201C - 946ml

\$12<sup>30</sup>

RISLONE



**Head Gasket Fix** 31111 680g

\$3110







**Cleaning Wipes** 10869 25 wipes



**Glass Wipes** 10850 20 wipes



**Leather Wipes** 10856

20 wipes





RhinoRamps MAX Vehicle Ramp -**Pair** 11912MI

\$116<sup>67</sup>



#### **RhinoRamps** Vehicle Ramp -**Pair** 11909MI

\$90<sup>57</sup>





#### **Heat Shrink Butt Connectors**

5800CS 22-18 AWG **\$973** 5900CS 16-14 AWG **\$10**<sup>31</sup> 6000CS 12-10 AWG **\$1422** 



Weather Resistant Pre-Wired Switch 9459-11 24V @ 15A/12V @ 25A





**Master Battery Disconnect** 12V DC 350 AMPS



Wheel Stud Installer 22800

\$31<sup>35</sup>



**Exhaust Removal Pliers** 





24mm Harmonic **Balancer Socket** 77070



**Spill-Free Funnel** 18 piece 24780



Disconnect Pliers, 45 Degree 37140

\$24<sup>18</sup>



Flexible Hose Clamp Tool 17300





Spill-Free DEF Kit with **GM Adapter** 

24210



**Heavy Duty Repair Cords** 

ST1933 - 4" 60/box **\$8<sup>26</sup>** 

ST1934 - 8" 30/box **\$826** 



Submersible LED Trailer Lighting Kit without Clearance/Marker

65880-5





BriteZone™ LED **Work Light** 2160 Raw Lumens,



7 Way RV To 4 Pole Flat 82-2146

SPOTGUN™ Injection Kit

471500YF - R1234yf hose

471500A - R134A hose



MULTI-PURPOSE DYE 483208 - 8oz/240mL Bottle



UNIVERSAL PAG OIL W/ DYE and EBOOST 488016P

 $\mathsf{S19}^{\mathsf{12}}$ 



A/C EXTENDYE 499008A - Bottle 8oz/240mL



#### LEAKGUARD ONE SHOT w/ AC EXTENDYE

1oz./30ml 480501

## SPOTGUN™JR./UV Phazer™ BLACK (AAA) Kit

332005A

4 x 1oz AC Extendye Cart. UV Phazer Black Light (AAA) R134a Hose Storage Case



#### A/C EXTENDYE Cartridge for SPOTGUN™ SYSTEM

499108A - Spotgun™ Cartridge 8oz/240mL



#### SPOTGUN™/ UV Phazer™ **BLACK (Rechargeable) Kit**

414565A

8oz AC Extendye Cart.

UV Phazer Black Light (Rechargeable)

Storage Case



#### **Combustion Leak Tester Kit** 560000

\$84<sup>37</sup>



SPOTGUN™ R134A Oil Injection Kit

481500



#### AIRLIFT™ Kit & Cooling **System Replacement Parts** 550000

\$218<sup>59</sup>



#### A/C EXTENDYE CARTRIDGES for SPOTGUN™ JR. SYSTEM

399020A - 1oz. / 30ml 4x 30ml Services up to 40 vehicles



#### **UV PHAZER BLACK**

413065 - Rechargeable 413075 - AAA batteries





1oz./30ml 480301

8oz./240ml 480308



#### UV PHAZER™ NEO™ 413025

\$124<sup>37</sup>





**COBRA UTF** FBB0008440 18.9L

\$9001



BESTBUY PRO HYDRAULIC 18.9L

**46** FX0003740

\$62<sup>88</sup>

68

FX0003840

\$66<sup>92</sup>



## Strong, long-lasting alkaline batteries guaranteed not to leak!



EN91 AA (24/pk) **\$1127** 

EN92 AAA (24/pk) **\$1127** 

EN93 C (12/pk) **\$1320** 

EN95 D (12/pk) \$1440

EN22 9V (12/pk) **\$20<sup>24</sup>** 



#### O'KEEFFE'S GIFT PACK

100919

Includes:

- Working Hands Hand Cream
- For Healthy Feet Foot Cream
- Lip Repair Cooling Relief

\$17<sup>61</sup>





WD-40® Multi-Use

311g 01111

\$866





 $$1^{19}$ /ea







Rose Thorn U1P-17308

Sliced U1P-17332

Supernova U1P-17303



- Powerful Rust & Corrosion Protection
- · Excellent Vehicle Undercoating
- Superior Lubricant



# 3300 - 333 g \$1582

# 3700 - 3.79 L \$69<sup>74</sup>

# 4300 - 18.9 L **\$289**<sup>20</sup>



#6300 - 333 g \$1385

# 6400 - 3.79 L **\$75**<sup>76</sup>

# 6500 - 18.9 L **\$314**<sup>15</sup>



## TECH / STEET

Steel Reinforced Epoxy Putty.

- Steel Hard in 15 Minutes
- · Fully Cured in 1 hour
- 500°F temperature resistant
- · Sets up under water
- Impervious to chemicals

# 16002 - 65 g **\$6**<sup>06</sup>

# 6004 - 130 g \$8<sup>30</sup>





For quick emergency repairs!

· High quality, special silicone compound wrap which adhears to itself

# 5100 - 3 m \$9<sup>23</sup>

# 5200 - 3 m \$9<sup>23</sup>







**Premium Heavy Duty** Tire Sealant

\$18<sup>47</sup> # 95544 - 946 mL

\$68<sup>36</sup> # 95555 - 3.78 L w/pump

\$267<sup>96</sup> # 95566 -18.9 L Pail

\$333<sup>51</sup> # 95577 - 18.9 L Pail w/pump



- · Sealant & Adhesive
- · UV Resistent
- · Remains flexible once cured
- · Bonds to virtually anything

\$691 #8312 - 90 mL

\$6<sup>91</sup> #8612 - 90 mL

\$691 #8812 - 90 mL





**Heavy Duty · Pure Blend Fast Penetrating Oil** 

Frees Frozen & Rusted Part

# C10 - 370 q







- No sand blasting required.
- · Heat resistant up to 427°C (800°F)

#73013 - 340 g \$1246



**AUTOMOTIVE & LIGHT TRUCKS COOLANT TEST STRIPS FOR EXTENDED LIFE** & CONVENTIONAL COOLANTS

TESTS: Reserve Alkalinity, pH levels & Glycol (freeze point / boiling point).

TESTS: IAT, NOAT, HOAT, ÓAT

# 1570 - 70 strips \$3188



Metalizing rotor & drums treatment to prevent brake squeal.

- ÓEM approved
- Waterproof

\$6<sup>94</sup>

# 9900 - 255 q





# A 134/123

#### R1234YF, R134A & R12 SAFE HYDROCARBON REFRIGERANT

PART NUMBER **AR4247HP** 

- Reduces vent temp 3°C 5°C
- Non-ozone depleting
- No ODS licence required to install
- Large molecule No leak/Slow leak formula

#### R1234YF INSTALLATION HOSE



Low side 24" extended installation hose with guage, suitable for installing hydrocarbons, sealants and oil charges.

#### **R134A & R12 SAFE SYSTEM SEALERS**

PART NUMBER **AR4237HP** 

Kool-Air One Sealant (Metal) PART NUMBER

**AR4238HP** 

Kool-Air Two Sealant (O-Ring)



#### **AR4237HP**

- 1oz of metal sealant
- 2oz of premium Repla 134

#### AR4238HP

- 1oz of rubber sealant
- 2oz of premium Repla 134

\$20<sup>13</sup>

CARTDRIGE ADAPTERS

#### EXTREME ULTRA LEAK STOP - R1234YF, R134A, EV & HYBRID SAFE SEALANT (O-RING & METAL) (NON CLOGGING)

**Leak Stop for Vehicle A/C Systems** 

Part Number 7201



Extreme Ultra

7201: Extreme Ultra Leak Stop - R1234yf, R134a,R12, EV & Hybrid Vehicles AR4223: 1234vf Install Adaptor (Required to Install 7201 In R1234vf System)

AR4222: R134a Install Adaptor (Required to Install 7201 In R134a System)

PART NUMBER **AR4222** 

PART NUMBER **AR4223** 



D Extreme Ultra

PERMIT

Flex Hose + R1234yf Green Adapter

#### EXTREME ULTRA LEAK STOP - W/ ADAPTERS: SAFE FOR EV & HYBRID VEHICLES

PART NUMBER 7201K4

CONTENTS OF 7201K4 7201K4: 4PK Extreme Ultra Leak Stop - R1234yf, R134a, & R12 W/ Adapters CONTENTS OF 7201K6 7201K6: 6PK Extreme Ultra Leak Stop - R1234yf, R134a, & R12 W/ Adapters





- · Permanently fixes small leaks in all A/C system components
- Polymer-free: does not clog A/C components and recovery equipment.
- Extends compressor lifetime and reduces its noise. · Works safely on metal and rubber components
- The professional choice for preventative maintenance.
- Injection adapters included.



flex hose 444

flex hose 🦏

Flex Hose + R134a Black Adapter


7201K6

PART NUMBER

CARTDRIGE ADAPTERS

## COOL-SHOT ULTRA - R1234YF ,R134A, EV & HYBRID SAFE - SYSTEM ENHANCER (NON CLOGGING)

PART NUMBER 7202



Cool-Shot Ultra

7202: Cool-Shot Ultra

AR4223: 1234vf Install Adaptor (Required to Install 7201 In R1234vf System) AR4222: R134a Install Adaptor (Required to Install 7201 In R134a System)

**AR4222** 

PART NUMBER **AR4223** 



PART NUMBER



Flex Hose + R134a Black Adapter

Flex Hose + R1234yf Green Adapter

#### 4PK/6PK COOL-SHOT ULTRA - W/ ADAPTERS : SAFE FOR EV & HYBRID VEHICLES

PART NUMBER 7202K4

CONTENTS OF 7202K4 7202K4: 4 PK Cool-Shot Ultra - R1234yf, R134a, & R12 W/ Adapters CONTENTS OF 7202K6 7202K6: 6 PK Cool-Shot Ultra - R1234yf, R134a, & R12 W/ Adapters



- 1 cartridge (0.2oz) to restore the original efficiency of A/C system.
- Removes oil fouling.
- Reduces the energy consumption of the system.
- Safe for all A/C system components.
- Extends compressor lifetime and reduces its noise.
- Visible if exposed to any UV lamp.



PART NUMBER 7202K6

#### R134A & R12 SAFE SYSTEM RECHARGE ASST

#### PART NUMBER AR4231

Kool-Air Two O-Ring Charge Assortment

- 1 x 0-Ring Sealant (AR4238)
- 2 x Premium Repla 134 (AR4247)
- 1 x Installation Hose w/Gauge (AR4252L)



**544**00

#### R134A & R12 SAFE SYSTEM OIL RECHARGE

PART NUMBER 49620MHP

AC Oil Charge (40z/114g)



- · 2oz of universal oil · 2oz of premium Repla 134/1234vf
- UV dye/ leak finder
- Systém conditioner prevents leaks

#### PART NUMBER **AR4232**

Kool-Air One Metal Charge Assortment

- 1 x Metal Sealant (AR4237)
- 2 x Premium Repla 134 (AR4247)
- 1 x Installation Hose w/Gauge (AR4252L)



#### R1234YF PAG46-H OIL

PART NUMBER 27262

R1234YF PAG 46-H A/C Oil

(R1234yf only) 8oz/237ml NOT FOR USE IN HYBRID & EV'S

#### PREMIUM PAG OIL - 46, 100 & 150

PART NUMBER PART NUMBER PART NUMBER

#### 50615-1

#### 50616-1

50617-1

PAG 46 W/UV Dve 8oz/237ml

**PAG 100** W/UV Dve 8oz/237ml

PAG 150 W/UV Dye 807/237ml

\$11<sup>72</sup>

PAG Lubricant For Vehicle A/C Systems

Compatible with R134a, R1234yf, R12, Hybrid& ElectricSafe

> 1 Oil for all Vehicles inc. Hybrid & EV'S







## Don't just seal it, K-Seal it!™



K-Seal™ ST9501 K-Seal is a one-step permanent multipurpose system for coolant leak repair.



Spray Nine® **Cleaner/Disinfectant** C26822 - 650ml



J-B KwikWeld 8276CAN Quick setting steel

reinforced epoxy



SCOTT® Bathroom Tissue

48040 - 2-ply

Sold by case of 24



Wipers L40 Centre Pull 05796

Sold by case of 2

/ea



(2) Kimberly-Clark PROFESSIONAL\*

Scott Perforated **Roll Towel** 41482

/ea



500 12th Avenue East, Kindersley, Saskatchewan | (306) 463-2005