

Kindersley Bearing [2008] Ltd. (306) 463-2005

Prices valid January 1st - February 28th, 2023





Inside diameter: 1/4" (6.4 mm) \$440 8331A



56-91 2:1 SINGLE





Liquid Copper Block Seal Intake & Radiator Stop Leak 31109 510g





Cooling System Repair 31150 - 500ml **\$13⁶²**



Head Gasket Fix 31111 680g \$33⁸⁸



Fuel, Exhaust &

Cleaner

34720 - 500ml

\$25⁹⁷

Emissions System



Hydraulic Seal 32820 \$15⁴⁷

Heavy Duty Oil Stabilizer 20001







Air Tool Oil 1001-16 16oz \$14²⁷





Compressor Oil 1002-32 32oz



Full Synthetic 1002-32S 32oz \$40⁰⁴



PIVOT Super Bright Strip Array Technology

- Strip array led face worklight
- 5 Led top flashlight
- 360 Swivel hook
- Magnetic base
- Magnetic back
- 3 AA batteries included



PURIFIER™



Chrome Tri-Tap Cord Reel 222308

- Tri-tap outlet
- 13 amp circuit breaker
- 30 ft. / 9.2m SJTW 14/3 cable







170AIR

- Fresh Air Ozone Machine
- Incorporates the latest in ozone purification technology
- Eliminates mold, mildew, & bacteria from cabin interiors & rooms
- Removes even the most offensive & stubborn odors such as tobacco smoke
- Portable design AC (100-240 V) & DC power
- 10 hour programmable timer with LCD



Fuel Line Clip Assortment 0289 31 pcs





K100S 2 Year Fuel Stabilizer Treatment K100S32

2 year Fuel Stabilizer treatment for all Gasoline Engines.





Fuel Injection Hose Clamps

FI4 1/4" FI6 5/16 FI8 3/8







Black Fuel Rated Nylon Tubing Coils

2962-25	5/16 x 25'	\$26 ⁴⁰
2963-25	10 mm x 25'	\$29 ³³
2998-25	3/8 x 25'	\$29 ³³

Cupro Nickel Brake Line Coils



RUST'S WORST ENEMY POWERFUL RUST & CORROSION PROTECTION EXCELLENT VEHICLE UNDERCOATING SUPERIOR LUBRICANT • LONG-TERM PENETRANT ENVIRONMENTALLLY FRIENDLIER • SOLVENT FREE • NON-TOXIC THE MOST UNIVERSAL Aerosol (AS): # 6300 - 333 g Bulk (NAS):

PRODUCT YOU WILL EVER USE!! "WOOL WAX

FORMULA"

NLS Products Stock #	Size		Į
6300	333 g	\$15 ³⁹	-
6400	3.78 L	\$84 ¹⁷	Contraction of the
6500	18.9 L	\$ 349 ⁰⁵	(Contraction)

Bulk (NAS): # 6400 - 3.78 L Can, # 6500 - 18.9 L Pail, # 6600 - 208 L Drum





BLACK

AUTO • TRUCK • FARM • HOME • MARINE • FORESTRY • MINING • INDUSTRIAL • RVs BUSES • TRAILERS • CHAINS • ATVs • AIRCRAFT • MILITARY • SALT TRUCKS • CABLES BATTERY TERMINALS • TOOLS • FERTILIZER SPREADER • ELECTRICAL CONNECTORS

• NOT WATER SOLUBLE

- REPELS & RESISTS WATER WASHOUT
- WILL NOT DRY OUT OR EVAPORATE
- APPLY OVER DRY OR DAMP SURFACES
- REDUCES STRESS CORROSION

- PREVENTS ICE & SNOW FROM BUILDING UP ON MOVING PARTS
- WORKS IN SUB-ZERO WEATHER -46°C (-50°F) TO 177°C (350°F)
- NON-CONDUCTOR OF ELECTRICITY
- WILL NOT CAUSE STATIC ELECTRICITY • SOLVENT, TEFLON & SILICONE FREE

NATURE GIVEN MATERIAL

FLUID FILM UTILIZES THE UNIQUE MOLECULAR ACTION DERIVED FROM WOOL-WAX, A NATURE GIVEN MATERIAL (Lanolin) & other corrosion inhibiting ingredients. One of the best lubricants & corrosion control agents found in nature today. In use for over 60 years in the Highly Corrosive Marine Environments of ships & off-shore drilling rigs.

LONG-TERM PROTECTIVE PROPERTIES START WORKING IMMEDIATELY

FLUID FILM - developed & perfected as an unparalleled Rust & Corrosion Control System. Non-drying properties for Superior Lubrication & is a Long Term Penetrant. Once in place, stays put, forming a continuous, durable, ALWAYS ACTIVE protective barrier. Will not harm most paint or plastic surfaces. Will not harm oil resistant seals. Take care when applying near rubber. Overspray must be wiped with a clean, dry cloth as it may cause swelling. Repels & resists water washout.
 Displaces moisture. Excellent waterproofing with "NO DRIP" bonding properties. FLUID FILM penetrates right through rust, stopping all metal deterioration on contact. Migrates to inaccessible areas by capillary action. Impregnates the pores of exposed metal, keeping moisture & oxygen out.


Certified Salt Spray Test - 1800 Hrs. U.S. Navy & 10 Military GSA National Stock Numbers (NSN).

TERMINATES BOTH NATURAL & INDUSTRIAL ATMOSPHERIC CORROSION

Eliminates the destructive corrosive effects of harsh minerals & chemicals such as salt, salt air, brine solution, acid, calcium, sodium chloride, fertilizers, herbicides & pesticides. FLUID FILM prevents steel from rusting;aluminum, magnesium, copper, tin, bronze & zinc from oxidizing; chrome & brass from pitting.

VEHICLE UNDERCOATING APPLICATION INSTRUCTIONS

Recommended Sprayers: # L015-203 - Hand-Filled Container, # L033-207 - Pail Pump Unit, # L033-208 - Drum Pump Unit, # L090-90 Drum Lid SHAKE WELL BEFORE USING. (Apply Sparingly) Apply FLUID FILM "NAS" by brush, roller, dipping or pressurized sprayer at 60 to 80 psi, (at the sprayer) with a spray nozzle orifice of 40-50 thou. KEEP CONTAINER TIGHTLY CLOSED. <u>FLUID FILM UNDERCOATING</u>: Give the vehicle's undercarriage a blast of water to clean off any excess dirt & let the heavy water drip off for 5 minutes. Apply to the panels and doors as normal. Apply FLUID FILM right over the damp metal. If dripping occurs then you are over-applying the product. If previously undercoated, please check for product compatibility.







WYPALL* SHOPPRO* X80 Shop Towels 41041

\$44⁹⁸



Cottonelle® Professional Standard Roll Toilet Paper ¹⁷⁷¹³ \$**1**76

 Kimberly-Clark

 P R O F E S S I O N A L*



WYPALL® GENERAL CLEAN L20 Medium Cleaning Cloths 34607 \$2755



3-Layer Breathing Masks Box of 50 MNS01 \$19⁵⁸



15'x1" General Purpose Ratchet w/Padded Handle SL91 - 4 pack





Strap Assembly - 1" Ratchet Buckle-10' w/vinyl S-Hooks 95002 - 2 pack





95005 - 4 pack



Natural Rubber Tarp Tie Premium Brand





LED HEADLIGHTS

LED REPLACEMENT BULBS FOR HALOGEN HEADLIGHTS AND FOG LIGHTS



ZEVO[®] LED HEADLIGHTS



AVAILABLE PART NUMBERS 9145 | H8 | 9003 | 9006 | H11 | H7 | 9005 | 9007 | H13

SYLVANIA LED HEADLIGHTS



2 Year Warranty





6000K cool white light



5 minute install



Turbo cooled at 10,000 RPM to maximize LED Life

 AVAILABLE PART NUMBERS

 9003
 9005
 9006
 H1
 H7
 H9
 H11

*See Package for details



500 12th Avenue East, Kindersley, Saskatchewan | (306) 463-2005

SWITCH TODAY. SEE BETTER TONIGHT.

sylvania-automotive.com

Disclaimer: Products may not be available at all locations and may not be exactly as shown. Minimum purchase may be required. Flyer pricing is not guaranteed. Price and availability may vary from store to store. Please inquire at your local Bestbuy Jobber.