Kindersley Bearing 2008 Ltd. (306) 463-2005





NOVEMBER/DECEMBER 2025













Coldwork[™] Base Layer

SoftShell construction prevents the cold air from sneaking in. Micro fleece lining adds warmth and provides exceptional comfort.

Covert		Coyote	
CWKBL-55-008	(S)	CWKBL-72-008	(S)
CWKBL-55-009	(M)	CWKBL-72-009	(M)
CWKBL-55-010	(L)	CWKBL-72-010	(L)
CWKBL-55-011	(XL)	CWKBL-72-011	(XL)
CWKBL-55-012	(XXL)	CWKBL-72-012	(XXL)
=			

20.⁷³



NOCO Boost+Air AX65

SEE INSIDE PAGE FOR MORE MODELS AX65

2000A Jump Starter with Air Compressor Tire Inflator - Starts 8.0L Gas & 6.0L Diesel - 67 SLPM Airflow Inflates 0-40 PSI in 2 Minutes



High Intensity Discharge (HID) Headlight Bulb

Environmentally responsible product, with 1/3 less energy usage compared to halogen lighting

D1SSZ.BX D2SSZ.BX

D3SSZ.BX **123.53** D4SSZ.BX

14039C Pivoting head swivels from

Duty Snowbroom

50" Crossover Super-

broom to brush position with the push of a button.



35" extra long, superior





BOSCH SNOW DRIVER™

Tested to perform at -29°C

16SD **20SD** 17SD **21SD** 18SD **22SD**

19SD



24SD 26SD **28SD**

BESTBUY TIRE BAGS, FLOOR MATS AND SEAT COVERS ALL AVAILABLE HERE!

TIRE BAGS

Part Number: FG-3255RB-01

Large

39" x 44" (fits 95% of tires) .8 mm thick plastic 250 bags per roll

Part Number: FG-3255RB-02 Extra Large **62** 71

47" x 48"

1.25 mm thick plastic

125 bags per roll



FLOOR MATS

Part Number: M4295PE2280A

Bright white treated paper

Durable coating for heavy foot traffic

17" x 19" 500 / case

69⁸⁸



SEAT COVERS

Part Number: FG-3255RB-03 **SNG Sustainable Seat Cover**

32" x 56"

0.7 mm thick plastic 250 covers per roll

39⁵¹



NUTS & BOLTS



3 32

2.27

182

160

3²³

5.32



Wheel Nut M14-1.50

611-236.1

Flattop Nut - 22mm Hex, 44.5mm Length



Wheel Nut M12-1.50

611-074.1

Dometop - 19mm Hex, 31mm Length | 3/4 Top



Wheel Nut M12-1.50

611-141.1

Acorn - 21mm Hex, 26mm Length



Wheel Nut M14-1.50

611-115.1

External Thread - 22mm Hex, 28.5mm Length



M12-1.50 Serrated Wheel Stud

14.20mm Knurl, 40mm Length | 3/4 Top



M14-1.50 Wheel Bolt

610-318.1

17mm Hex, 26mm Thread Length



M12-1.25 Wheel Bolt

611-005.1

19mm Hex, 23mm Thread Length



12-360 - 30 pieces

12-360/60 - 60 pieces



Universal String-Type Inserts

4" (102MM) FAT, BROWN

- Temporary repairs sealing by compression only
- For use in radial and bias ply tires
- Excellent for golf carts, lawn mowers and ATV's



PROFESSIONAL TIRE
Seal repair tyms & supplies



Bead Sealer

32 OZ. (945ML)

14-101

For sealing small air leaks between the tire bead and the wheel.



Vulcanizing Cement 9 16

14-008 - 8oz (236ml)

- Our most popular, fast drying cement
- For chemical or heat vulcanization
- For use with any XtraSeal repair unit or insert

NOCO BOOST®



Safely jump start a dead battery in seconds. Our ultra-compact yet powerful lithium jump starters deliver extreme energy in a fraction of the size. Pound for pound, lithium packs more power than traditional batteries, and when paired with advanced electronics and precision engineering, it ensures safe, efficient, and reliable performance every time.

SAFE & EASY-TO-USE. BOOST SERIES.



PLUS 1000A 12V for 6.0L Gas and 3.0L Diesel Engines GB40

136.⁹⁹



PRO 3000A 12V for 9.0L Gas and 7.0L Diesel Engines

GB150

385.⁴³

FOR THE MOST DIFFICULT JUMP STARTS.

BOOST X SERIES.



X 4250A 12V 10.0L Gas and 8.0L Diesel Engines GBX155

475³⁷

COMMERCIAL-GRADE JUMP STARTING.
BOOST MAX SERIES.



MAX 6250A 12V / 24V up to 45L Gas and Diesel Engines

2456.45



NGK Standard Spark Plugs Nickel Core

5422 5722 3194



7548

5.30



Champion Standard Spark Plugs Copper Plus

1 46 **2**.96



9055 9407 **10**.⁷⁹





DuraCast™ 4000 Torch Kit

BZTS4000ZKC

- Designed for use at any angle and is pressure-regulated to reduce the risk of pulsating or yellow flames when inverted
- Flame lock option for continuous use
- Instant on/off ignition
- Swirl flame

9432





Utility Torch

WT2301

- Adjustable, Webbed Flame
- Trigger-Start Ignition
- Durable, Stainless Steel Burn Tube
- Designed for Upright Use
- Compatible with Bernzomatic 14.1 and 16 oz Propane Fuel Cylinders

29²⁰



Fuel Transfer Pump

110000-100 Aluminum M-150S-AU Fuel Pump with Automatic Nozzle, 12V DC

702⁹⁵



Circulation Engine Heater

220-403

Circulates warm coolant throughout the engine to provide even heat distribution.

219.31







VP Racing Small Engine Fuels 2-Cycle 50:1 Pre-Mixed Fuel, 946ml

62351

VP Racing - 4-Cycle Small Engine Fuel 946mL

62051

12.89





Safe-T-Brake™ Air Brake Anti-Freeze

509 1L

5.95

5104L

17.95



The Original Gun Oil

10006 2oz

3.96



Semi-Synthetic 2-Cycle Oil

20120 473ml

6.98





All Weather Seal

9132-16 - 1 pint

18.⁵⁰

Ceramic Motor Seal 9122-16 - 1 pint

15.⁴⁹

Thoro-Flush 9112-16 - 1 pint

21⁷¹





Winter Leather Work Gloves

713594ASRT

7

HORIZON

- Cowsplit leather Assorted colours
- Acrylic pile lining
- Cotton back
- Pasted cuff



Lined, Latex Coated Gloves

750760

S-XL

- Latex coated palm and fingertips
- Polyester shell 10 gauge
- Elastic knit cuff
- Brushed fleece lining

3.38



Cowhide Work

72360RFLBO

- Cowhide leather palm and fingertips
- Cotton back with elastic
- Rubberized cuff
- · Acrylic pile lining

12.⁹⁵



Lined Cowhide Gloves

721801THIN

L, XL

- Cowhide leather palm and fingertips
- Additional patch on palm
- Cotton back with elastic
- Pasted cuff
- C-100 Thinsulate[™] lining

12⁹⁵





Hybrid Lined Goatskin Gloves

781125TH

M-2XL

- Goatskin leather palm with Hydra Series water repellent treatment
- Keystone thumb
- Stretch fabric back with light padding

18.³⁰



Premium Roadside Emergency Kit

Features

12 Volt 150 PSI tire inflator, 8ft 10GA jumper cables for light autos, free standing warning triangle. Also includes, flashlight, slip joint pliers, bungee cords, screwdriver, gloves, snap blade knife, rain poncho, tire gauge, electrical tape and cable ties.



16GA Blue Extension Cord

W2256

27³⁶

W2257

50ft



Firepoint X UV Flashlight

W2648

365-395nm UV Light is perfect for fluid and glass leak detection, ID and document verification, currency detection, and more.



Firepoint X Li-Ion Flashlight

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Cree LED never needs replacing
- Water and impact resistant
- Specifications: 4026 lumens on high, 480 lumens on low, 4.
- 5 hour runtime on high, 12.



4V Li-lon 2-in-1 Driver/Light

Features an adjustable clutch and a USB-C charging port. Includes two extensions.



20V Li-Ion 1/2" Brushless Impact Wrench

W7720

Delivers up to 375 ft. lbs. of reverse torque, and it features an auto-stop function to reduce the risk of stripped threads.



20V Li-Ion 1/2" Brushless **Hammer Drill**

W7722

708 in. lbs. of torque at your fingertips. A twospeed transmission lets you control your speed.

136^{.98}





Everything you need in one set! Compatible with most major rotary tools. Ideal for grinding, cutting, wood carving, sanding, and engraving applications.











Booster Cables

8 Gauge 200 Amp 12' 8163E

10 Gauge 150 Amp 8' 8162E

6 Gauge 400 Amp 16' 8164JE



Fast Orange® Pumice Lotion Hand Cleaner 25219 - 3.78L bottle





Battery Protector & Sealer 29224

8.53



Smart Spair, Emergency Tire Repair Kit 50057











WD-40® MULTI-USE Product

01103 411g





Water Resistant Silicone Lubricant w/Smart Straw 02279

D 69



Rust Release Penetrant Spray w/Smart Straw 02278

10⁶⁹









Prestone®

CELSIUS® by PRESTONE Extended Life All Makes All Models Antifreeze/Coolant

11551 Concentrate

50/50

12.²⁷



Industrial Strength Cleaner **And Degreaser** 02266

8.24

Strong, long-lasting alkaline batteries guaranteed not to leak!



17.²⁹ **EN91** AA (24/pk)


AAA (24/pk) 18.⁰³ EN92

18.⁹⁵ **EN93** C (12/pk)

EN95 D (12/pk)

31.09 EN22 9V (12/pk)





Fluidsyn ATF/CVT Transmission fluid

Available in the following formats







500 12th Avenue East, Kindersley, Saskatchewan | (306) 463-2005